



# **OZONE GENERATORS**


**sanitize your spaces**



## L'Ozono: cos'è e come funziona

L'ozono è un GAS incolore instabile composto da ossigeno trivalente ( $O_3$ ) che in natura si trasforma in atmosfera per irradiazione dei raggi ultravioletti, oppure con le scariche elettriche prodotte durante i temporali. In montagna è presente in concentrazioni maggiori e questo ci dà la sensazione di freschezza e di aria pura.

L'ozono è un GAS naturale con un altissimo potere ossidante con la particolarità di dissolversi senza lasciare traccia o residui chimici. Il suo elevato potere ossidante e la sua naturale tendenza a ritornare ossigeno ( $O_2$ ), lo rende un GAS dalle elevate proprietà di impiego in molte applicazioni per il trattamento dell'aria e dell'acqua. La sua particolare instabilità non gli permette di essere immagazzinato e di conseguenza deve essere prodotto nel luogo dove viene utilizzato, in assenza di persone o animali.





**5G ceramic ozone generator sanitize your spaces.**  
**Field of application for sanification: 0-90 sqm.**

It is great for your car, little offices, shops and rooms and other space.

Ozone output: **5g/h**

Voltage: 220V/50Hz

Power: 80W

Product size: 25 x 16 x 21 cm

Product weight: 6 ± 0.5 Kgs

2 hours manual timer.

Indicator safe: can know in time if there is a failure.

Simple appearance, suitable for various scenes.

Inside fan cooling.

Carbon steel spray material, corrosion resistance, long service life.

With non-slip rubber pad on the bottom, the equipment is stable when working circuit disconnection.

The internal accessories are all fixed with screws.

Double-sided ozone outlet, larger disinfection area, faster ozone diffusion and high disinfection efficiency.

Filter cotton is added to the internal fan to prevent external impurities from entering and avoid damage to the device.



# MODEL: QLA-10G

## OZONE GENERATOR



**10G ceramic ozone generator sanitize your spaces.**  
**Field of application for sanification: 0-150 sqm.**

It is great for your car, little offices, shops and rooms and other space.

Ozone output: **10g/h**

Voltage: 220V/50Hz

Power: 150W

Product size: 25 x 16 x 21 cm

Product weight: 6.3 ± 0.5 Kgs

2 hours manual timer.

Indicator safe: can know in time if there is a failure.

Simple appearance, suitable for various scenes.

Inside fan cooling.

Carbon steel spray material, corrosion resistance, long service life.

With non-slip rubber pad on the bottom, the equipment is stable when working circuit disconnection.

The internal accessories are all fixed with screws.

Double-sided ozone outlet, larger disinfection area, faster ozone diffusion and high disinfection efficiency.

Filter cotton is added to the internal fan to prevent external impurities from entering and avoid damage to the device.



# MODEL: QLA-20G

## OZONE GENERATOR



**20G ceramic ozone generator sanitize your spaces.**  
**Field of application for sanification: 0-300 sqm.**

It is great for your car, little offices, shops and rooms and other space.

Ozone output: **20g/h**

Voltage: 220V/50Hz

Power: 280W

Product size: 25 x 16 x 21 cm

Product weight: 6.8 ± 0.5 Kgs

2 hours manual timer.

Indicator safe: can know in time if there is a failure.

Simple appearance, suitable for various scenes.

Inside fan cooling.

Carbon steel spray material, corrosion resistance, long service life.

With non-slip rubber pad on the bottom, the equipment is stable when working circuit disconnection.

The internal accessories are all fixed with screws.

Double-sided ozone outlet, larger disinfection area, faster ozone diffusion and high disinfection efficiency.

Filter cotton is added to the internal fan to prevent external impurities from entering and avoid damage to the device.



# MODEL: QLA-30G

## OZONE GENERATOR



**30G ceramic ozone generator sanitize your spaces.**

**Field of application for sanification: 0-450 sqm.**

It is great for your car, little offices, shops and rooms and other space.

Ozone output: **30g/h**

Voltage: 220V/50Hz

Power: 320W

Product size: 25 x 16 x 21 cm

Product weight: 7 ± 0.5 Kgs

2 hours manual timer.

Indicator safe: can know in time if there is a failure.

Simple appearance, suitable for various scenes.

Inside fan cooling.

Carbon steel spray material, corrosion resistance, long service life.

With non-slip rubber pad on the bottom, the equipment is stable when working circuit disconnection.

The internal accessories are all fixed with screws.

Double-sided ozone outlet, larger disinfection area, faster ozone diffusion and high disinfection efficiency.

Filter cotton is added to the internal fan to prevent external impurities from entering and avoid damage to the device.

